



Just like being outside, only better.

Scenix™ porch windows with retractable screens — a whole new way to enjoy the outdoors.




explore the possibilities at
www.menards.com





Enjoy the outdoors longer.



BEFORE

Versatile

Ideal for screen porch replacement, enclosing an open porch or for new construction, the innovative Scenix™ porch windows create a unique and comfortable space.

Easy ventilation

The dual sash panels are uniquely designed to optimize natural airflow and comfort. Screen Away® retractable screen technology lets fresh air in and keeps the bugs out.

A whole new view.


- **Retractable screens with Screen Away®**
Provide top and bottom ventilation and protection from bugs and other outside elements; available with standard fiberglass screen or upgrade to the 4-in-1 screen for better insect protection, enhanced solar protection, superior strength and improved privacy.
- **Counter balanced, tempered glass panels**
Patented design includes a quad pulley balance system to ensure smooth operation. Tempered clear glass is standard. Consider upgrading to tempered Solar Control glass in Solarshield Grey or Bronze tint. Solar Control glass provides more comfort and less fading by blocking up to 76% of harmful UV rays.
- **Easy to install**
Requires a handful of screws and minimal supplies.
- **Deters moisture**
Functions as an extension of the outdoors — appropriate only for non-heated, non-air conditioned spaces.






Get started today!


Scenix™ project plans include suggested layouts to help get you started. Go big with our wide range of custom sizes. Order your Scenix porch windows online at Menards.com




| MML# 4914440 | QTY |
|-----------------|-----|
| 36"W x 72"H | 1 |
| 44 1/2"W x 72"H | 5 |



| MML# 4914441 | QTY |
|-----------------|-----|
| 36"W x 72"H | 5 |
| 44 1/2"W x 72"H | 3 |



| MML# 4914442 | QTY |
|-----------------|-----|
| 36"W x 72"H | 1 |
| 44 1/2"W x 72"H | 6 |



| MML# 4914443 | QTY |
|-----------------|-----|
| 36"W x 72"H | 5 |
| 44 1/2"W x 72"H | 4 |

Plan your project

Scenix™ offers several standard sizes, plus even more custom size options available to transform your porch with widths up to 72" and heights up to 96".

Standard sizes (White only)
Available in 14 days

- 36"W x 72"H 36"W x 84"H
- 44-1/2"W x 72"H 44-1/2"W x 84"H
- 56-1/2"W x 72"H 56-1/2"W x 84"H
- 68-1/2"W x 72"H 68-1/2"W x 84"H

Custom sizes (All Colors)
Available in 28 days

Rough opening widths from 24"W to 72"W
Rough opening heights from 30"H to 96"H




Fixed Glass Panel

Scenix full tempered glass panel is designed to fit openings like knee walls, transoms and sidelites or where extra light is desired.

Custom sizes
(White, Sandstone, Brown, Black)

Rough opening widths from 12"W to 72"W
Rough opening heights from 12"H to 96"H

20 square feet maximum size.
(square feet = (width x height)/144



Three steps to order

First, plan your project. Whether you are replacing existing screen windows, enclosing an open porch OR building a new structure, Scenix™ windows can literally transform your outdoor living space.

Plot your project by drawing out your porch floor plan with the desired size and number of Scenix windows.

1 Prep it.

If necessary, build out your porch structure by adding supporting posts and framing up your window openings.


2 Measure it.

Width: Start at the surface of the jambs where the window will be mounted. Measure from the top, middle and bottom.

Height: From the high point of the window, measure from the left, center and right side of the rough opening.

Depth: Be sure to allow at least 2-1/2" of opening depth for your Scenix window.

NOTE: Each Scenix™ porch window must be mounted between a support beam on each side. For example, if your open space is 12 feet wide, you would install at least one post in the middle of the opening. From there, measure the rough openings (spaces) that are created when you added the post.



3 Order it.

When placing your order, provide rough opening sizes. Use the smallest width and height and round down to the nearest 1/8". For manufacturing purposes, the actual window size will be 1/2" smaller in width and height than the ordered size.


Project planner

| Window | Rough Opening Size | | Glass Option Circle One | Screen Option Circle One | Fixed Panel Enter W x H |
|--------|--------------------|--------|---|---|----------------------------|
| | Width | Height | | | |
| #1 | | | Clear Solarshield Grey Solarshield Bronze | Standard Fiberglass Screen 4-in-1 Screen | |
| #2 | | | | | |
| #3 | | | | | |
| #4 | | | | | |
| #5 | | | | | |
| #6 | | | | | |

www.menards.com Keyword: SCENIX



explore the possibilities at
www.menards.com

 Keyword: SCENIX



MENARDS®

Scenix™ porch windows with retractable screens are designed for areas that function as an extension of the outdoors and are appropriate only for non-heated, non-air conditioned spaces. Scenix™ windows are designed to deter some, but not all moisture. Classified for use in AAMA/NPEA/NSA 2100-12 Category II sunrooms. Refer to your local building code requirements specific to your location.

©2019 Larson Manufacturing Company 0952690